

IN THE UNITED STATES  
PATENT AND TRADEMARK OFFICE

PATENT APPLICATION

INVENTOR: Steven B. KAUFMAN

CASE: KAUFMAN 13

TITLE: LOCALIZED BROADCAST INFORMATION BASED ON CALL RELATED  
INFORMATION

ASSISTANT COMMISSIONER FOR PATENTS  
WASHINGTON, D.C. 20231

SIR:

Enclosed are the following papers relating to the above-named application for patent:


Specification (including claims and Abstract) - 21 pages  
7 Informal sheets of drawing(s)  
1 Assignment with Cover Sheet  
Declaration and Power of Attorney

CLAIMS AS FILE				
	NO. FILED	NO. EXTRA	RATE	CALCULATIONS
Total Claims	31 - 20 =	11	x \$22 =	\$242
Independent Claims	4 - 3 =	1	x \$82 =	\$82
Multiple Dependent Claim(s), if applicable			\$270 =	\$0
Basic Fee				\$790
TOTAL FEE:				\$1114

Please file the application and charge **Lucent Technologies Deposit Account No. 12-2325** the amount of **\$1114** to cover the filing fee. Duplicate copies of this letter are enclosed. In the event of non-payment or improper payment of a required fee, the Commissioner is authorized to charge or to credit **Deposit Account No. 12-2325** as required to correct the error.

Please address all correspondence to **FARKAS & MANELLI, PLLC, 2000 M Street, N.W. 7th Floor, Washington, DC 20036-3307**, and all telephone calls to William H. Bollman at his Washington, DC local number of (202) 261-1000.

Respectfully submitted,



William H. Bollman

Reg. No.: 36,457

Attorney for Applicant(s)

Date: October 29, 1998

Farkas & Manelli, PLLC  
2000 M Street, N.W. 7th Floor  
Washington, DC 20036-3307  
(202) 261-1000

# APPLICATION UNDER UNITED STATES PATENT LAWS

Invention: **LOCALIZED BROADCAST INFORMATION BASED ON  
CALL RELATED INFORMATION**

Inventor: Steven B. KAUFMAN

Farkas & Manelli P.L.L.C.  
2000 M Street, N.W.  
Suite 700  
Washington, D.C. 20036-3307  
Attorneys  
Telephone: (202) 261-1020

This is a:

- ☐ [ ] Provisional Application
- ☒ [X] Regular Utility Application
- ☐ [ ] Continuing Application
- ☐ [ ] PCT National Phase Application
- ☐ [ ] Design Application
- ☐ [ ] Reissue Application
- ☐ [ ] Plant Application

## SPECIFICATION

SECRET 397360

# LOCALIZED BROADCAST INFORMATION BASED ON CALL RELATED INFORMATION

## BACKGROUND OF THE INVENTION

### 5 1. Field of the Invention

This invention relates generally to an apparatus and method for accessing highly localized weather broadcasts by a calling party on a telephone line. More particularly, it relates to an apparatus and method for accessing localized weather broadcasts pertinent to the caller based  
10 on call related information, e.g., Caller ID information relating to the calling party.

### 2. Background of Related Art

In many communities, people can access an audibly-played  
15 weather broadcast on their telephone by dialing a specific telephone number. Typically, every community has a specific weather broadcast telephone number which must be dialed to access the localized weather broadcast. Depending on which localized weather broadcast the calling party desires to access, the calling party must know the specific weather  
20 broadcast telephone number for the desired particular localized area prior to actually dialing the telephone number. Typically, to reduce long distance charges and/or to encourage use, localized weather broadcasts are located close to the calling area of the users. However, this tends to significantly increase costs associated with such a weather service, and  
25 also tends to enlarge the regions specifically covered by any one weather forecast.

Fig. 7 illustrates a conventional telephone system capable of accessing an audibly-played localized weather broadcast.

In Fig. 7, a telephone 10 is connected to a telephone  
30 company central office 14 via a telephone line 16. A telephone line

interface (TLI) **12** in the telephone **10** provides the conventional isolation, DC and AC impedance as required by telephone company standards. The telephone line interface **12** is connected to a handset **24** which the user utilizes to listen to the desired weather forecast based on the particular dialed telephone number.

To access and receive an audibly-played specific weather broadcast for a first location, the user dials a specific telephone number for that desired community, which is typically established as a local call to the user. Upon dialing of the specific telephone number, the telephone **10** is connected by an established telephone call to the audibly played weather broadcast specifically assigned to that region or location. Once connected, the specific weather broadcast for the called location **19** is then audibly played for the user.

If the user wants to access and receive an audibly-played specific weather broadcast for a second location, or if a weather service desires to support additional communities, additional telephone numbers or mailboxes must be established for each separate weather forecast. Thus, users in the other locations, or those desiring weather information for a second location, must call a different telephone number or mailbox to access a weather forecast specific to a second location **21**.

Thus, upon dialing of a specific telephone number, the telephone **10** may be connected through the telephone line **16** to the central office **14** and to the desired weather broadcast **19** or **21**, to gain access to the audibly played weather forecast for the user.

Accordingly, there exists a need for an apparatus and method which allows a user to access weather forecasts which are more highly focused on the particular area from which the caller is calling, without increasing costs over conventional techniques.

## SUMMARY OF THE INVENTION

In accordance with the principles of the present invention, a server is adapted to provide highly localized broadcast information to a plurality of localities. The server comprises a processor, a call related  
5 information/broadcast information stream lookup table accessible by the processor and associating call related information entries with respective broadcast information streams, and a plurality of stored broadcast information streams. The processor is adapted to identify a specific one of the plurality of stored broadcast information streams for downloading to  
10 a caller based on call related information received with respect to an incoming call.

A customer premises equipment for receiving a highly localized broadcast information stream in accordance with another aspect of the present invention comprises a telephone line interface. A voice  
15 recorder/playback module is adapted to store a broadcast information stream downloaded through a telephone switching system. The broadcast information stream is selected based on call related information received with respect to a call from the customer premises equipment. Broadcast information memory is adapted to store the broadcast  
20 information stream. A dialer and record module is adapted to dial a telephone number of a source of the broadcast information stream, and to facilitate storage of the broadcast information stream in the broadcast information memory.

A method of selecting a highly localized broadcast  
25 information stream in accordance with yet another aspect of the present invention comprises receiving call related information relating to a calling party. A desired one of a plurality of broadcast information streams is determined for downloading to the calling party based on the call related information. The desired one of the plurality of broadcast information  
30 streams is downloaded to the calling party.

## BRIEF DESCRIPTION OF THE DRAWINGS

Features and advantages of the present invention will become apparent to those skilled in the art from the following description  
5 with reference to the drawings, in which:

Fig. 1 is a block diagram illustrating an apparatus capable of audibly receiving a highly specific audibly-played weather broadcast determined from a comparison of call related information received with respect to the caller to a look-up table which associates the call related  
10 information (e.g., Caller ID information) with a designated weather forecast for that calling area, in accordance with the principles of the present invention.

Fig. 2 is a table illustrating exemplary contents of a call related information/weather forecast look-up table, e.g., as shown in Fig.  
15 1.

Fig. 3 is a flow chart illustrating an exemplary process by which a user accesses the call related information/weather forecast look-up table and receives a highly localized and specific weather forecast over the telephone line, in accordance with the principles of the present  
20 invention.

Fig. 4 is a block diagram illustrating another embodiment of the present invention capable of audibly receiving a download of a highly localized weather forecast for later playback based on a lookup of call related information received by the weather forecast service with respect  
25 to the calling party.

Fig. 5 is a block diagram illustrating yet another embodiment of the present invention capable of digitally downloading a highly localized weather forecast for later playback based on a lookup of call related information received by the weather forecast service with respect to the  
30 calling party.

Fig. 6 is a block diagram illustrating communication using the Internet for digitally downloading a highly localized weather forecast from an appropriate IP server based on call related information packetized by the central office and transmitted to the IP server of the weather service, in accordance with the principles of the present invention.

Fig. 7 illustrates a conventional telephone system utilized to establish a telephone call with any appropriate one of a plurality of separate audible recordings regarding generalized weather forecasts for large regions.

#### DETAILED DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

The present invention provides a method and apparatus for accessing a highly localized weather broadcast selected based on the reception by a weather forecast service of call related information (e.g., Caller ID information) relating to an incoming call. The appropriate, highly localized forecast is downloaded to the caller based on, e.g., the area code and/or exchange number of the caller. This allows the provision of a highly localized weather broadcast system which is capable of invisibly selecting and downloading a highly specific weather forecast to a resolution at least down to the locality of a particular exchange in a particular area code.

While potentially requiring the maintenance and updating of a large number of weather forecasts, increased hardware and system costs are minimal particularly because the weather forecasts for all locations can be co-located and all accessed via a common telephone number. Thus, a calling party need only dial one telephone number from any location, yet receive a highly customized weather forecast particular to the region in which the area code (and exchange) of the caller are located.

The highly localized weather forecasts may be accessed real-time or off-line. In particular, real-time access to the highly localized weather forecasts may be obtained for immediate, audible play based on call related information (e.g., Caller ID information) by simply dialing a predetermined access telephone number. To further increase usage of the weather service from a large area, even though the weather forecasts are accessed from a common location, a toll-free telephone number may be established for the common telephone number.

Alternatively, or additionally, the weather forecasts may be obtained by customer premises equipment having message storage capability, e.g., a voice messaging system, by downloading the highly localized weather forecast during off periods of the customer premises equipment, e.g., in the middle of the night, for later playback by the user, e.g., first thing in the morning. This would provide immediate weather information to the user which is highly particular to the location of the user's household or business.

The downloaded, highly localized weather forecast may be downloaded using analog techniques wherein the customer premises equipment either plays the weather forecast as it is received, or digitizes and stores the downloaded weather forecast. Alternatively, using a modem both at the customer premises equipment and at the called weather service, the highly localized weather forecast may be downloaded digitally from a server at the weather service and stored for later playback at the user's voice messaging system. In either case, in accordance with the principles of the present invention, the digitally downloaded weather forecast will be highly localized by association with information (e.g., an area code and/or exchange number) contained in the call related information received by the weather service relating to the incoming call.



Fig. 1 is a block diagram illustrating an apparatus capable of audibly receiving a highly specific audibly-played weather broadcast determined from a comparison of call related information received with respect to the caller to a look-up table which associates the call related information (e.g., Caller ID information) with a designated weather forecast for that calling area, in accordance with the principles of the present invention.

In particular, a common telephone **10** or other customer premises equipment including a telephone line interface **12** and a handset or other communication device (e.g., speaker and microphone) dials a particular telephone number of a weather forecast server **100**. A central office **14** routes the call from the telephone **10** through the public switched telephone network (PSTN) **700** to the weather forecast server **100**.

The weather forecast server **100** in the disclosed embodiment includes an appropriate telephone line interface **104** for receiving the in-band telephone call from the central office **14**. Of course, the principles of the present invention relate equally to out-of-band signaling or communication between the central office **14** and the weather forecast server **100**.

In the disclosed embodiments, it is presumed that the weather forecast server **100** receives call related information, e.g., Caller ID information such as a telephone number of a calling party, with incoming calls.

The weather forecast service further includes a call related information (e.g., Caller ID)/weather forecast lookup table **22**, a plurality of stored weather forecasts **20**, and an audio player **18**.

The Caller ID/weather forecast lookup table **22** includes at least one entry associating a particular portion of a telephone number, e.g., an area code and/or an exchange number, to a particular updated weather forecast stored in the stored weather forecasts storage element

20. For instance, Fig. 2 depicts the contents of three exemplary entries **281-283** stored in the Caller ID/weather forecast lookup table or database **22** shown in Fig. 1.

Each entry **281-283** includes an association of an area code **271** and an exchange number **272** to an appropriately indexed current weather forecast **273** for that particular calling area. The appropriately indexed current weather forecasts **273** are stored in the stored weather forecast storage element **20**.

Preferably, the stored weather forecast storage element **20** is non-volatile memory, but can be volatile memory within the principles of the present invention. Moreover, while the present invention is disclosed with respect to highly localized weather forecasts stored digitally in an appropriate stored weather forecast storage element **20**, the principles of the present invention relate equally to the analog storage (e.g., repeating cassette tape or similar device) of the highly localized weather forecasts.

Referring back to Fig. 1, in response to a telephone call from a caller, the controller **102** compares received call related information (e.g., an area code and/or an exchange number) with each of the entries **281-283** in the Caller ID/weather forecast lookup table **22** (Fig. 1). If a match is made, the controller **102** obtains the appropriately indexed highly localized weather forecast from the stored weather forecasts storage device **20** if digitally stored, or triggers an analog playback of an analog stored weather forecast from the stored weather forecasts storage element **20**. In either case, an audio player **18** performs a digital to analog conversion in the case of digitally stored weather forecasts, and inserts the audibly-played weather forecast into the telephone line interface **104** so that the caller at the telephone **10** will hear the same.

Accordingly, a caller from any location within a large expanse, e.g., from anywhere in the country, can call a common telephone number (e.g., a toll-free telephone number) and receive a

highly localized and specific weather forecast determined based on call related information (e.g., an area code and/or exchange number) of the caller's telephone. The comparison of call related information to available weather forecasts by the weather forecast server **100** is preferably  
5 performed invisibly to the caller, providing the automatic convenience of a very specific weather forecast from any area in the country simply by dialing a telephone number.

Fig. 3 is a flow chart illustrating an exemplary process by which a user accesses the call related information/weather forecast look-  
10 up table and receives a highly localized and specific weather forecast over the telephone line, in accordance with the principles of the present invention.

In particular, in step **402**, a calling party desiring a weather forecast for their particular calling area (with a resolution as small as an  
15 area serviced by one exchange number within one area code) calls a common telephone number from wherever they are in the serviced region.

In step **404**, the weather forecast server **100** determines the calling party's telephone's location based on call related information received from the central office **14**, e.g., the area code and exchange  
20 number of the calling party.

In step **406**, the index of a particular highly localized weather forecast is determined by the controller **102** (Fig. 1) from a comparison of the received call related information to each of the entries in the Caller ID/weather forecast lookup table **22** until a match is found.

25 In step **408**, the matched highly localized weather forecast for the particular calling area of the calling party is retrieved from the stored weather forecast storage device **20** and audibly played over the telephone line.

In step **410**, the telephone call is terminated, either by the weather forecast server **100**, the calling telephone **10**, and/or the central office **14**.

Fig. 4 is a block diagram illustrating another embodiment of the present invention capable of audibly receiving a download of a highly localized weather forecast for later playback based on a lookup of call related information received by the weather forecast service with respect to the calling party.

In particular, the customer premises equipment **495** comprises a voice messaging system, e.g., a telephone answering device. The telephone answering device **495** includes a controller **306**, an alphanumeric keypad **302**, and a display **304**.

The controller **306** controls the overall functionality of the telephone answering device **495**, and may be any suitable processor, e.g., microprocessor, microcontroller, or digital signal processor (DSP). The alphanumeric keypad **302** allows a user to dial a telephone number, and a display **304** is utilized to provide the user with conventional answering machine information, e.g., the number of messages stored, etc.

The telephone answering device **495** also includes an appropriate telephone line interface **322** to provide the conventional DC and AC impedance to the central office **14**.

A voice recorder/playback module **316**, microphone **318**, speaker **320**, and message storage memory **314** provide otherwise conventional voice messaging recording and playback functions.

In accordance with the principles of the present invention, the telephone answering device **495** further includes an off-line automatic telephone number dialer and record control module **308**. Its function is to automatically dial the common telephone number for accessing the weather forecast server **100** (preferably when the telephone answering device **495** is off-line, such as in the middle of the night, or just before

sunrise). The off-line automatic telephone number dialer and record control module **308** is preferably located within the program code of the controller **306**, but may be external to the controller **306**, in accordance with the principles of the present invention.

5                   When a downloaded signal, e.g., an analog audio signal is detected being played over the telephone line from the weather forecast server **100**, the off-line automatic dialer and record control module **308** will activate the voice recorder/playback module **316** to record the audibly downloaded weather forecast. Preferably, the audibly downloaded and  
10                   locally recorded weather forecast will be stored in a portion of the voice message memory **314**, e.g., in a weather forecast memory portion **312**. Preferably, the voice message memory **314** is non-volatile memory, e.g., Flash memory.

                  Upon detection of the termination of the telephone call, the  
15                   voice recorder/playback module **316** will terminate the recordal and storage of the weather forecast.

                  At any time after the highly localized weather forecast is stored in the weather forecast memory **312**, the user can listen to the weather forecast by appropriately instructing the telephone answering  
20                   device **495**, e.g., by depressing a dedicated button (not shown).

                  Thus, as shown in Fig. 4, a highly localized weather forecast can be downloaded in audible, analog form, and either played as it is received, or can be digitized and stored for later playback. However, the present invention also applies to the digital downloading of the weather  
25                   forecast information, for storage and/or playback at a user's voice messaging system.

                  For instance, Fig. 5 is a block diagram illustrating yet another embodiment of the present invention capable of digitally downloading a highly localized weather forecast for later playback based

on a lookup of call related information received by the weather forecast service with respect to the calling party.

In particular, a modem **582** is added to the telephone answering device otherwise shown in Fig. 4, and a modem **503** is added to the weather forecast server **500**, to allow digital communication over a telephone line to the central office **14**. Moreover, at the weather service, an audio player is not necessary for digital downloading of the appropriate, highly localized weather forecast. Thus, when an appropriate, highly localized weather forecast is retrieved from the stored weather forecast storage device **20** by the controller **502** of the weather forecast server **500**, the digital information can be directed to be stored in the weather forecast memory **312** of the telephone answering device **595** shown in Fig. 5 for later playback by the user.

Fig. 6 is a block diagram illustrating that the highly localized weather forecasts need not be limited to communication over the PSTN only. For instance, the weather forecasts can be downloaded over the Internet as shown in Fig. 6.

In this case, the weather forecast server **30** is an Internet Protocol (IP) server **30** which is in communication with the stored weather forecast storage device **20** and a call related information/weather forecast lookup table **22a**. The central office **14** communicates with the Internet **28** via its own IP server **26**.

The call related information, while being an area code and exchange number in the disclosed embodiment, need not be, particularly when the call related information is digitally transmitted out of band as in the case of the Internet.

Thus, in accordance with the principles of the present invention, a calling party is provided with invisible, automatic access to a highly localized and specific weather forecast simply by dialing a common

telephone number from anywhere over a large region, and potentially from anywhere in the country.

The present invention, although described with respect to weather forecast information, is applicable to the dissemination of any information which is calling area specific or calling party specific and available by calling a common telephone number.

While the invention has been described with reference to the exemplary embodiments thereof, those skilled in the art will be able to make various modifications to the described embodiments of the invention without departing from the true spirit and scope of the invention.

## CLAIMS

What is claimed is:

1. A server adapted to provide highly localized broadcast information to a plurality of localities, said server comprising:

5

a processor;

a call related information/broadcast information stream lookup table accessible by said processor and associating call related information entries with respective broadcast information streams;

a plurality of stored broadcast information streams;

10

wherein said processor is adapted to identify a specific one of said plurality of stored broadcast information streams for downloading to a caller based on call related information received with respect to an incoming call.

15

2. The server adapted to provide highly localized broadcast information to a plurality of localities according to claim 1, wherein:

said broadcast information is weather forecast information.

20

3. The server adapted to provide highly localized broadcast information to a plurality of localities according to claim 1, further comprising:

a telephone line interface in communication with said processor.

25

4. The server adapted to provide highly localized broadcast information to a plurality of localities according to claim 1, further comprising:

a modem in communication with said processor.



5. The server adapted to provide highly localized broadcast information to a plurality of localities according to claim 3, further comprising:

an audio player adapted to play said specific one of said plurality of stored broadcast information streams through said telephone line interface.

6. The server adapted to provide highly localized broadcast information to a plurality of localities according to claim 1, wherein:

said call related information is at least a portion of a telephone number.

7. The server adapted to provide highly localized broadcast information to a plurality of localities according to claim 6, wherein:

said portion of said telephone number includes an area code.

8. The server adapted to provide highly localized broadcast information to a plurality of localities according to claim 6, wherein:

said portion of said telephone number includes an exchange number.

9. The server adapted to provide highly localized broadcast information to a plurality of localities according to claim 6, wherein:

said portion of said telephone number includes an area code and an exchange number.

10. A customer premises equipment for receiving a highly localized broadcast information stream, comprising:

a telephone line interface;

a voice recorder/playback module adapted to store a broadcast information stream downloaded through a telephone switching system, said broadcast information stream being selected based on call related information received with respect to a call from said customer premises equipment;

broadcast information memory adapted to store said broadcast information stream; and

a dialer and record module adapted to dial a telephone number of a source of said broadcast information stream, and to facilitate storage of said broadcast information stream in said broadcast information memory.

11. The customer premises equipment for receiving a highly localized broadcast information stream according to claim 10, wherein:

said call related information is at least a portion of a telephone number.

12. The customer premises equipment for receiving a highly localized broadcast information stream according to claim 11, wherein:

said portion of said telephone number includes an area code.

13. The customer premises equipment for receiving a highly localized broadcast information stream according to claim 11, wherein:

said portion of said telephone number includes an exchange number.

14. The customer premises equipment for receiving a highly localized broadcast information stream according to claim 11, wherein:

said portion of said telephone number includes an area code and an exchange number.

5

15. The customer premises equipment for receiving a highly localized broadcast information stream according to claim 10, wherein:

said customer premises equipment is a voice messaging system.

10

16. The customer premises equipment for receiving a highly localized broadcast information stream according to claim 10, wherein:

said broadcast information stream includes weather forecast information.

15

17. The customer premises equipment for receiving a highly localized broadcast information stream according to claim 10, wherein:

said voice messaging system is a telephone answering device.

20

18. The customer premises equipment for receiving a highly localized broadcast information stream according to claim 10, wherein:

said call related information is transmitted over an Internet.

19. A method of selecting a highly localized broadcast information stream, comprising:

receiving call related information relating to a calling party;

determining a desired one of a plurality of broadcast information streams for downloading to said calling party based on said call related information; and

downloading said desired one of said plurality of broadcast information streams to said calling party.

20. The method of selecting a highly localized broadcast information stream according to claim 19, wherein:

said steps of receiving, determining, and downloading are performed without intervention by a user.

21. The method of selecting a highly localized broadcast information stream according to claim 19, wherein:

said broadcast information stream includes weather forecast information.

22. The method of selecting a highly localized broadcast information stream according to claim 19, wherein:

said call related information includes an area code.

23. The method of selecting a highly localized broadcast information stream according to claim 19, wherein:

said call related information includes an exchange number.

24. The method of selecting a highly localized broadcast information stream according to claim 19, wherein:

said call related information is Caller ID information.

25. The method of selecting a highly localized broadcast information stream according to claim 19, wherein:

5 said call related information includes an area code and an exchange number.

26. The method of selecting a highly localized broadcast information stream according to claim 19, wherein:

10 said step of determining is performed using a look up table.

27. The method of selecting a highly localized broadcast information stream according to claim 19, wherein said downloading comprises:

15 audibly playing said desired one of said plurality of broadcast information streams.

28. The method of selecting a highly localized broadcast information stream according to claim 19, wherein said downloading comprises:

20 digitally transmitting over a telephone line said desired one of said plurality of broadcast information streams.

29. The method of selecting a highly localized broadcast information stream according to claim 19, further comprising:

25 storing said downloaded desired one of said plurality of broadcast information streams in a voice messaging system associated with said calling party.

30. Apparatus for selecting a highly localized broadcast information stream, comprising:

means for receiving call related information relating to a calling party;

5 means for determining a desired one of a plurality of broadcast information streams for downloading to said calling party based on said call related information; and

means for downloading said desired one of said plurality of broadcast information streams to said calling party.

10

31. The apparatus for selecting a highly localized broadcast information stream according to claim 30, wherein:

said broadcast information stream includes weather forecast information.

15

## ABSTRACT

A method and apparatus for accessing an one of a plurality of highly localized weather broadcasts based on the reception by a weather forecast service of call related information (e.g., Caller ID information) relating to an incoming call. A server associated with the weather service includes separate weather forecasts each based on call related information, e.g., an area code and/or exchange number. The highly localized weather forecast may be downloaded in analog or digital form, and may be played as received by a caller or stored for later playback. An off-line automatic dialer and record control module establishes a telephone call to a weather server at a predetermined time, e.g., just before sunrise, and automatically activates the downloading and storage of the weather forecast without further instruction required by the user. This allows the provision of a highly localized weather broadcast system which is capable of forecast resolution at least down to the locality of a particular exchange in a particular area code, while at the same time having the capability of being commonly located at a single telephone number. The highly localized weather forecasts may be accessed real-time for immediate audible play, or off-line by downloading a particularly chosen weather forecast while the customer premises equipment is off-line. The weather forecast may be downloaded in audible form and recorded at the customer premises equipment, or with the use of modems may be digitally downloaded to storage in the customer premises equipment for later playback.




FIG. 1



Area Code <span>~271</span>	Exchange # <span>~272</span>	Associated Weather Forecast <span>~273</span>
(800)	555	location #62 <span>~281</span>
(800)	666	location #66 <span>~282</span>
(888)	555	location # 74 <span>~283</span>
etc. ⋮	etc. ⋮	etc. ⋮

FIG. 2




FIG. 3






FIG. 4








FIG. 7

PRIOR ART

IN THE UNITED STATES  
PATENT AND TRADEMARK OFFICE

Declaration and Power of Attorney

As the below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled **LOCALIZED BROADCAST INFORMATION BASED ON CALL RELATED INFORMATION** the specification of which is attached hereto. I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by an amendment, if any, specifically referred to in this oath or declaration.

I acknowledge the duty to disclose all information known to me which is material to patentability as defined in Title 37, Code of Federal Regulations, 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

None

I hereby claim the benefit under Title 35, United States Code, 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

None

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

09181568-102998

I hereby appoint the following attorney(s) with full power of substitution and revocation, to prosecute said application, to make alterations and amendments therein, to receive the patent, and to transact all business in the Patent and Trademark Office connected therewith:

Lester H. Birnbaum	(Reg. No. 25830)
Richard J. Botos	(Reg. No. 32016)
Jeffery J. Brosemer	(Reg. No. 36096)
Kenneth M. Brown	(Reg. No. 37590)
Donald P. Dinella	(Reg. No. 39961)
Guy Eriksen	(Reg. No. P-41736)
Martin I. Finston	(Reg. No. 31613)
James H. Fox	(Reg. No. 29379)
Barry H. Freedman	(Reg. No. 26166)
Julio A. Garceran	(Reg. No. 37138)
Mony R. Ghose	(Reg. No. 38159)
Jimmy Goo	(Reg. No. 36528)
Anthony Grillo	(Reg. No. 36535)
Stephen M. Gurey	(Reg. No. 27336)
John M. Harman	(Reg. No. 38173)
Donald E. Hayes, Jr.	(Reg. No. 33245)
John W. Hayes	(Reg. No. 33900)
Mark A. Kurisko	(Reg. No. 38944)
Irena Lager	(Reg. No. 39260)
Christopher N. Malvone	(Reg. No. 34866)
Scott W. McLellan	(Reg. No. 30776)
Martin G. Meder	(Reg. No. 34674)
Geraldine Monteleone	(Reg. No. 40097)
John C. Moran	(Reg. No. 30782)
Michael A. Morra	(Reg. No. 28975)
Gregory J. Murgia	(Reg. No. 41209)
Claude R. Narcisse	(Reg. No. 38979)
Joseph J. Opalach	(Reg. No. 36229)
Neil R. Ormos	(Reg. No. 35309)
Eugen E. Pacher	(Reg. No. 29964)
Jack R. Penrod	(Reg. No. 31864)
Daniel J. Piotrowski	(Reg. No. P-42079)
Gregory C. Ranieri	(Reg. No. 29695)
Scott J. Rittman	(Reg. No. 39010)
Eugene J. Rosenthal	(Reg. No. 36658)
Bruce S. Schneider	(Reg. No. 27949)
Ronald D. Slusky	(Reg. No. 26585)
David L. Smith	(Reg. No. 30592)
Patricia A. Verlangieri	(Reg. No. P-42201)
John P. Veschi	(Reg. No. 39058)
David Volejnicek	(Reg. No. 29355)
Charles L. Warren	(Reg. No. 27407)

366207 "33518160




Eli Weiss

(Reg. No. 17765)

I hereby appoint the attorney(s) on ATTACHMENT A as associate attorney(s) in the aforementioned application, with full power solely to prosecute said application, to make alterations and amendments therein, to receive the patent, and to transact all business in the Patent and Trademark Office connected with the prosecution of said application. No other powers are granted to such associate attorney(s) and such associate attorney(s) are specifically denied any power of substitution or revocation.

Full name of 1st joint inventor: **Steven B. KAUFMAN**

Inventor's  
signature



Date 10/26/98

Residence: **Bridgewater, Somerset County, New Jersey**

Citizenship: **USA**

Post Office Address: **4 Joshua Lane, Bridgewater, New Jersey 08807**

0918158-10398  
366207-89548160

**ATTACHMENT A**

Attorney Name(s): William H. Bollman Reg. No.: 36,457  
\_\_\_\_\_  
\_\_\_\_\_

Telephone calls should be made to **Farkas & Manelli PLLC** at:

Phone No.: 202-261-1020

Fax No.: 202-887-0336

All written communications are to be addressed to:

**Farkas and Manelli PLLC**  
**2000 M Street, N.W.**  
**7<sup>th</sup> Floor**  
**Washington, D.C. 20036-3307**

2025 OCT 10 10:00 AM